

### FVP FULL SYNTHETIC 5W40 EURO 6QT BOX

Safety Data Sheet Stock Number: FV06546G

**Revision Date:** 07/12/18 **Replaces:** 

Product identifier used on the label: Stock Number:	<b>FVP Full Synthetic 5W40 Euro - 6qt box</b> FV06546G	
Other means of identification: Synonyms:	No data available	
Recommended use of the chemical and r Recommended use:	estrictions on use: Motor Oil	
Restrictions on use:	Uses other than those described above	
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:	Factory Motor Parts	
	1380 Corporate Center Curve #200	
	Eagan, MN 5511	
Phone number:	866-387-3343	
Emergency phone number:	Infotrac 1-800-535-5053	
2. Hazard(s) identification		

GHS Classification:	Not classified as hazardous under OSHA
Hazards not otherwise classified:	No data available
% unknown toxicity (Inhalation Gas):	10.526297 % of the mixture consists of ingredient(s) of unknown toxicity.

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	No data available	72623-87-1	90 - 99
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	No data available	72623-86-0	1 - 5
Petroleum distillates, solvent-refined heavy paraffinic	No data available	64741-88-4	0.5 - 1.5
2-Butenedioic acid (E)-, di-C8-18-alkyl ester	No data available	68610-90-2	0.5 - 1.5

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18 Replaces:

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

#### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.
Ingestion:	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	None Known
Indication of immediate medical attention and special treatment needed, if necessary:	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

#### 5. Fire-fighting measures

#### Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	No data available
Hazardous combustion products:	Carbon monoxide, Smoke
Special protective equipment and precautions for fire-fighters:	No data available

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18 Replaces:

6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.
7. Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure. No data available
Conditions for safe storage, including any Safe storage conditions:	incompatibilities: Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

#### 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Lubricating oils	5 mg/m3	5 mg/m3	10 mg/m3	No data available
(petroleum), C20-50,				
hydrotreated neutral				
oil-based				
Lubricating oils	5 mg/m3	5 mg/m3	10 mg/m3	No data available
(petroleum), C15-30,				
hydrotreated neutral				
oil-based				
Petroleum distillates,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
solvent-refined heavy				
paraffinic				

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18 Replaces:

Appropriate engineering controls: Individual protection measures, such as	Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. personal protective equipment:
Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye protection:	No special requirements under normal industrial use.
Skin protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves:	Nitrile
General hygiene conditions:	No data available

### 9. Physical and chemical properties

Appearance (physical state, color etc.):	
Physical state:	Liquid
Color:	Brown
Odor:	Mild
Odor Threshold:	Not determined
pH:	No data available
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	150
Flash Point (°C):	222
Evaporation Rate:	No data available

#### Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18

**Replaces:** 

Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	Not established
Lower flammability or explosive limits:	Not established
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.85
Solubility(ies):	Negligible
Partition coefficient: n-octanol/water:	3.9
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	76.77 cSt @ 40°C
Volatile organic compound (VOC)	0.000000
content and percentage of volatiles:	

10. Stability and reactivity	
Reactivity:	
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None expected under standard conditions of storage.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Smoke

#### 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18 Replaces:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	No data available
Symptoms related to the physical, chemical and toxicological characteristics:	None Known
Delayed and immediate effects and also cl	nronic effects from short- and long-term exposure:

Ingestion Toxicity:	Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.
Skin Contact:	This material is likely to be slightly irritating to skin based on animal data.Can cause minor skin irritation, defatting, and dermatitis.
Absorption:	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	No data available
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Other information:	No data available

#### Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent-refined heavy paraffinic	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 2.18 mg/L

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18

**Replaces:** 

2-Butenedioic acid (E)-, di-C8-18-alkyl ester	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 2.18 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 2.18 mg/L

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

# Ecotoxicity (aquatic and terrestrial, where available):

No data available

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
2-Butenedioic acid (E)-, di-C8-18-alkyl ester	68610-90-2	Aquatic LC50 (48h) > 100 mg/L	No data available	Aquatic LC50 (96h) 2200 mg/L
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	> 1000 mg/L	No data available	> 5000 mg/L
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	> 1000 mg/L	No data available	Aquatic LC50 (96h) > 5000 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	> 1000 mg/L	No data available	Aquatic LC50 (96h) > 5000 mg/L

Persistence and degradability:

Biodegrades slowly.

**Bioaccumulative potential:** 

Bioconcentration may occur.

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G

**Revision Date:** 07/12/18

Replaces:

Mobility in soil:	This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
Other adverse effects (such as hazardous to the ozone layer):	No data available
13. Disposal considerations	
Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:	Spent or discarded material is non-hazardous according to environmental regulations.
Contaminated packaging:	Recycle containers whenever possible.
14. Transport information	
Carriage of dangerous goods by road (DC	)T), rail or inland waterways:
DOT Basic Description:	Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).
International carriage of dangerous good	ls by sea (IMDG/IMO):
UN number:	Not regulated by IMDG
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
International carriage of dangerous good	ls by air (IATA):
UN number:	Not regulated by IATA
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group, if applicable:	Not applicable
Environmental hazards (e.g., Marine pollutant (Yes/No)):	None.
Transport in bulk (according to Annex II	No data available

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18 Replaces:

#### of MARPOL 73/78 and the IBC Code):

Special precautions which a user needs No data available to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:

15. Regulatory information

#### Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** 

All components of this material are on the US TSCA Inventory or are exempt.

#### **Regulated Components:**

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Ν	Ν	N	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	N	Ν
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	Ν	Ν	N	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	N	N
2-Butenedioic acid (E)-, di-C8-18-alkyl ester	68610-90-2	Ν	Ν	Ν	Ν
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Ν	Ν	N	Ν
Polybutene	9003-29-6	Ν	N	N	Ν

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18 Replaces:

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	Ν	Ν	Ν	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν
2-Butenedioic acid (E)-, di-C8-18-alkyl ester	68610-90-2	N	Ν	Ν	Ν
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Ν	Ν	Ν	Ν
Polybutene	9003-29-6	Ν	Ν	Ν	Ν

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Ν	N	N	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	N	Ν	N
Lubricating oils (petroleum), C15-30,	72623-86-0	Ν	Ν	Ν	Ν	Ν

Product identifier used on the label: FVP Full Synthetic 5W40 Euro - 6qt box Stock Number: FV06546G Revision Date: 07/12/18 Replaces:

hydrotreated neutral oil-based						
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	N	Ν	Ν	N
2-Butenedioic acid (E)-, di-C8-18-alkyl ester	68610-90-2	Ν	Ν	Ν	Ν	Ν
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Ν	N	Ν	Ν	N
Polybutene	9003-29-6	Ν	Ν	Ν	Ν	N

16. Other information, including	16. Other information, including date of preparation or last revision.				
SDS Prepared by:	SGOCHENOUR				
Revision Date:	08-28-2017				
<b>Revision Number:</b>	7				
Reason for revision: References: Other Info:	NEW VERSION No data available No data available				
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.				