

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 04/30/2014

07/12/18 Version: 1.0 Revision date:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

: FVP AUTOMATIC TRANSMISSION FLUSH Product name

Product code : 3533

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fransmission flush.

Details of the supplier of the safety data sheet

Factory Motor parts

1380 Corporate Center Curve, #200

Eagan, MN 55121 866-387-3343

Emergency telephone number

Emergency number: Infotrac

1-800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Aspiration hazard 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Vlay be fatal if swallowed and enters airways.

: f swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store locked up. Precautionary statements (GHS-US)

Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

Mixture

Name	Product identifier	%	GHS-US classification
Distillates, petroleum, hydrotreated light naphthenic	(CAS No) 64742-53-6	99 - 100	Not classified

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : f inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : n case of contact, immediately flush skin with plenty of water. Remove contaminated clothing

and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

: n case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to First-aid measures after eye contact

do, remove contact lenses, if worn. If irritation persists, get medical attention.

: f swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give First-aid measures after ingestion anything by mouth to an unconscious person. Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed



STIMORS/AMISTRO MACIOTIC TRANSAMASS SPICION, (FED. INITIALISH

Symptoms/injuries after skin contact Safety Data Sheet skin contact skin.

Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injules and MANTALC TRANSAMANS Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptons/induces after meestion : vlay be fatal if swallowed and enters airways. The

: vlay be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

according to the Hazard Communication Standard (CFR29 cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : 'owder, water spray, foam, carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

5.3. Advice for firefighters

Protection during firefighting : (eep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Use water spray to keep fire-exposed containers cool.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Jse personal protection recommended in Section 8. Isolate the hazard area and deny entry to

innecessary and unprotected personnel.

6.2. Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing gas/mist/vapors/spray. Do not swallow.

Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : _aunder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : (seep out of the reach of children. Keep container tightly closed. Store locked up.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³

8.2. Exposure controls

Appropriate engineering controls : Jse ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

ecommended exposure limits.

: Avoid all unnecessary exposure.

Personal protective equipment : Avoid all unnecessary Hand protection : Near suitable gloves.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Near suitable protective clothing.

Respiratory protection : n case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working

limits of the selected respirator.

Environmental exposure controls : vlaintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

JTOMATIC TRANSMISSION FLUSH

ION 9: Physical and chemical properties

Safety Data Sheetasic physical and chemical properties according to the Hazard Communication Standard (CFR29 1910, 1200) HazCom 2012. Physical state: Physical state Appearance · Clear

Colour : Colorless to light yellow.

Odour : Petroleum odor. Odour threshold · Vo data available : No data available. : No data available. Relative evaporation rate (butylacetate=1) : No data available. Melting point : No data available. Freezing point Boiling point : No data available. Flash point : ~ 102 °C (~ 216 °F) Self ignition temperature : No data available. Decomposition temperature : No data available. Flammability (solid, gas) : Not flammable. Vapour pressure : No data available.

Relative density :).88 - 0.89 Solubility : nsoluble.

Log Pow : No data available. Log Kow : No data available.

Viscosity, kinematic : 3.4 cSt @ ~ 40 °C (~ 104 °F)

: No data available.

Viscosity, dynamic : No data available. Explosive properties : No data available. Oxidising properties : No data available. **Explosive limits** : No data available.

9.2. Other information

Relative vapour density at 20 °C

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. **Chemical stability**

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. **Conditions to avoid**

Heat. Incompatible materials. Direct sunlight.

Incompatible materials 10.5.

Strong oxidizing agents.

Hazardous decomposition products 10.6.

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

6533	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	No data available.

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.18 mg/l/4h

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Ferous eyedening Annation TC TRANSAND Salion Nata, had a striction criteria are not met.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

FVP AUTOMATIC TRANSMISSION FLUSH
Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.

Serfiedell Dutagenisityeet : Based on available data, the classification criteria are not met.

Carcinogenicity azard Communication Standard (CFR29) Based on available data, the classification criteria are not met.

Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. **Toxicity**

> Ecology - general : vlay cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

6533

Persistence and degradability Not established.

12.3. **Bioaccumulative potential**

6533

Bioaccumulative potential Not established.

Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

egulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Do not reuse container.

SECTION 14: Transport information

In accordance with DOT

14.1. **UN** number

Not applicable

UN proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State regulations

6533	
State or local regulations	This product does not contain a chemical known to the State of California to cause
	cancer, birth defects or other reproductive harm.

FVP AUTOMATIC TRANSMISSION FLUSH SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

	International Agency for Research on Cancer.
according to the Hazard Commit	1 - Carcinogenic to humans;
	2A - Probably carcinogenic to humans;
	2B - Possibly carcinogenic to humans;
	3 - Not classifiable;
	4 - Probably not carcinogenic to humans.
NTP	National Toxicology Program.
	1 - Evidence of Carcinogenicity; 2
	- Known Human Carcinogens;
	3 - Reasonably anticipated to be Human Carcinogen;
	4 - Substances delisted from report on Carcinogens;
	5 - Twelfth Report - Items under consideration.

SECTION 16: Other information

Indication of changes : None.

Date of issue : 04/30/2014

Other information : None.

IFPA health hazard:1IFPA fire hazard:1IFPA reactivity:0



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 10/21/2014

10/21/2014 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : FVP FULL SYNTHETIC UNIVERSAL ATF PROTECTANT

. 3536 Product code

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Additive.

Details of the supplier of the safety data sheet

Factory Motor parts

1380 Corporate Center Curve, #200

Eagan, MN 55121 866-387-3343

Emergency number : 800) 373-6729

CHEMTREC (800) 424-9300

CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Aspiration hazard 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May be fatal if swallowed and enters airways.

Precautionary statements (GHS-US) : f swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store locked

up. Dispose of contents and container in accordance with all local, regional, national and

Revision date:

international regulations.

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS-US)

8 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable.

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Distillates, petroleum, hydrotreated light naphthenic	(CAS No) 64742-53-6	60 - 100	Asp. Tox. 1
Naphthalene	(CAS No) 91-20-3	< 0.1	Acute Tox. 4 (Oral) Carc. 2
Ethyl acrylate	(CAS No) 140-88-5	< 0.1	Flam. Liq. 2 Acute Tox. 4 (Oral, Dermal, Inhalation) Skin Irrit. 2 Eye Irrit. 2A Skin Sens. 1 Carc. 2 STOT SE 3

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1947) FaxoBr/E262.

ION 4: First aid measures

Safety Data Sheetst aid measures

according to the Hazard Communication Standard (CFR29 1910, 1200) HazCom 2012.

The sid measures after inhalation : f inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position.

Cot medical advice/attention if you feel unwell. First-aid measures after inhalation

First-aid measures after skin contact : n case of contact, immediately flush skin with plenty of water. Call a physician if irritation

develops and persists.

: n case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. First-aid measures after eye contact

If irritation persists, get medical attention.

First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical

attention immediately.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : vlay cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

skin.

Symptoms/injuries after eye contact : vlay cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

: vlay be fatal if swallowed and enters airways. This product may be aspirated into the lungs and Symptoms/injuries after ingestion

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : owder, water spray, foam, carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon, oxides of

nitrogen, oxides of sulphur, oxides of phosphorous.

5.3. Advice for firefighters

Protection during firefighting : (seep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Use water spray to keep fire-exposed containers cool.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Jse personal protection recommended in Section 8. Isolate the hazard area and deny entry to General measures

innecessary and unprotected personnel.

Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

Protective Equipment (PPE).

Methods for cleaning up : 3coop up material and place in a disposal container. Provide ventilation.

Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not

swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : _aunder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

Conditions for safe storage, including any incompatibilities

Storage conditions : (eep out of the reach of children. Keep container tightly closed. Store locked up.

Specific end use(s)

Not available.

/P-AUTOMATIC TRANSMISSION FLUSH ION 8: Exposure controls/personal protection

Safety Data Sheeters

ocording to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)			
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³	
Naphthalene (91-20-3	3)	<u> </u>	
USA ACGIH	ACGIH TWA (ppm)	10 ppm	
USA ACGIH	ACGIH STEL (ppm)	15 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm	
Ethyl acrylate (140-88	3-5)	·	
USA ACGIH	ACGIH TWA (ppm)	5 ppm	
USA ACGIH	ACGIH STEL (ppm)	15 ppm	
USA OSHA	OSHA PEL (TWA) (ppm)	5 ppm	
USA OSHA	OSHA PEL STEL (TWA) (ppm)	25 ppm	

Exposure controls

Physical state

Appropriate engineering controls : Jse ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

ecommended exposure limits.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Near suitable gloves.

Eye protection : 3afety glasses or goggles are recommended when using product.

Skin and body protection : Near suitable protective clothing.

: n case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection Respiratory protection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Vaintain levels below Community environmental protection thresholds.

: _iquid

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance : Clear Color : Colorless Odor : Petroleum odor Odor threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : 37 °C (207 °F) Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not flammable Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density :).877 - 0.887 Solubility : No data available Log Pow : No data available Log Kow : No data available

Viscosity, dynamic : Vo data available
Explosive properties : Vo data available
Oxidising properties : Vo data available
Explosive limits : Vo data available

Vo data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Direct sunlight.

10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, oxides of nitrogen, oxides of sulfur, oxides of phosphorous.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Vot classified.

6536		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	No data available	

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	2.18 mg/l/4h
Naphthalene (91-20-3)	
LD50 oral rat	490 mg/kg
LD50 dermal rabbit	> 20 g/kg
Ethyl acrylate (140-88-5)	
LD50 oral rat	800 mg/kg
LD50 dermal rat	500 μL/kg
LC50 inhalation rat	1414 ppm/4h

Skin corrosion/irritation : Based on available data, the classification criteria are not met. Serious eye damage/irritation : Based on available data, the classification criteria are not met. Respiratory or skin sensitisation : Based on available data, the classification criteria are not met. Germ cell mutagenicity : Based on available data, the classification criteria are not

met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Naphthalene (91-20-3)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 3 - Reasonably anticipated to be Human Carcinogen	
Ethyl acrylate (140-88-5)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 4 - Substances delisted from report on Carcinogens	

Reproductive toxicity : Based on available data, the classification criteria are not met. Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are

not met.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

FVP AUTOMATIC TRANSMISSION Specific target organ toxicity (repeated exposure): Based on available da

the classification criteria are not

Smele Aspliation in Balance t : May be fatal if swallowed and enters airways.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact

: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

Symptoms/injuries after eye contact

12.1. **Toxicity**

> : May cause long-term adverse effects in the aquatic environment. Ecology - general

12.2. Persistence and degradability

> 6536 Persistence and degradability Not established.

12.3. **Bioaccumulative potential**

> 6536 Bioaccumulative potential Not established.

12.4. **Mobility in soil**

No additional information available.

12.5. Other adverse effects

Effect on ozone layer : No additional information available.

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal egulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Do not reuse container.

SECTION 14: Transport information

In accordance with DOT

14.1. **UN** number

Not applicable

14.2. **UN** proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for 10,1200 Hezcom 2012.

2,5-Pyrrolidinedione, 3-C18-24-alkenyl derivatives CAS No 91783-21-0

Naphthalene (91-20-3)	
Listed on United States SARA Section 313	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	0.1 %
Ethyl acrylate (140-88-5)	
Listed on United States SARA Section 313	
SARA Section 313 - Emission Reporting	0.1 %

Safety Data Sheet


according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 201:

State or local regulations This product contains chemicals known to the State of California to cause cancer.

SECTION 16: Other information

Indication of changes: None.Date of issue: 10/21/2014Other information: None.

IFPA health hazard:1IFPA fire hazard:1IFPA reactivity:0



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.