

# SAFETY DATA SHEET

# 1. Identification

Product number	FVPBF312, FVPBF31GAL, FVPBF332
Product identifier	DOT 3 BRAKE FLUID
Revision date	09-13-2018
Company information	Factory Motor Parts 1380 Corporate Center Curve Ste. 200 Eagan, MN 55121 United States
Company phone	(866) 387-3343
Emergency telephone US	1-800-424-9300
Emergency telephone outside US	1-703-527-3887
Version #	03
Supersedes date	08-17-2018
Recommended use	Cleaner
Recommended restrictions	None known.
2. Hazard(s) identification	

Physical hazards	Not classified.	
Health hazards	Reproductive toxicity Cate	
	Specific target organ toxicity, repeated exposure	Category 2
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

# Mixtures

Chemical name	Common name and synonyms	CAS number	%
Diethylene Glycol Monobutyl Ether		112-34-5	2.5 - 10
Diethylene Glycol n-Butyl Ether		111-46-6	2.5 - 10
Polyethylene Glycol		25322-68-3	2.5 - 10

Product name: DOT 3 BRAKE FLUID

Chemical name	Common name and synonyms	CAS number	%
Diethylene Glycol Monometh Ether	yl	111-77-3	0.1 - 1
Other components below reportable levels			90 - 100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for	Use water spray to reduce vapors or divert vapor cloud drift.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# **Occupational exposure limits**

#### **US. ACGIH Threshold Limit Values** Form Components Type Value TWA **Diethylene Glycol** Inhalable fraction and 10 ppm Monobutyl Ether (CAS vapor. 112-34-5) US. Workplace Environmental Exposure Level (WEEL) Guides Form Components Value Type TWA Diethylene Glycol n-Butyl 10 mg/m3 Ether (CAS 111-46-6) Particulate. Polyethylene Glycol (CAS TWA 10 mg/m3 25322-68-3) No biological exposure limits noted for the ingredient(s). **Biological limit values** Appropriate engineering Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates controls should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, such as personal protective equipment Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece. Skin protection Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Other Use of an impervious apron is recommended. **Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece. Wear appropriate thermal protective clothing, when necessary. **Thermal hazards** Observe any medical surveillance requirements. Always observe good personal hygiene **General hygiene** considerations measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	8.6
Melting point/freezing point	-59.8 °F (-51 °C) Supplier estimated / < -58 °F (< -50 °C) Supplier
Initial boiling point and boiling range	500 °F (260 °C) 760 mmHg ASTM E1719
Flash point	280.4 °F (138.0 °C) Pensky-Martens Closed Cup Supplier
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 0.01 mm Hg @ 20C estimated
Vapor density	Not available.

Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	590 °F (310 °C) supplier
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Heat of combustion (NFPA 30B)	1.65 kJ/g estimated
Kinematic viscosity	990 cSt @-40 °C ISO 3104
Oxidizing properties	Not oxidizing.
Percent volatile	25.79 % estimated
Specific gravity	1.06 supplier estimated
VOC (Weight %)	25.79 % estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	

# Information on toxicological effects

# Acute toxicity

Components	Species	Test Results
Diethylene Glycol Monobuty	vl Ether (CAS 112-34-5)	
Acute		
Dermal		
LD50	Rabbit	2764 mg/kg, 24 Hours
	Rat	2021 mg/kg
Inhalation		
LC50	Rat	74 mg/l/4h
Oral		
LD100	Rabbit	4000 mg/kg
LD50	Guinea pig	2000 mg/kg
	Mouse	2410 mg/kg

Components	Species	Test Results	
	Rabbit	2500 - 3000 mg/kg	
	Rat	7291 mg/kg	
Diethylene Glycol Monomethyl Et	her (CAS 111-77-3)		
<u>Acute</u>			
Dermal			
LD50	Guinea pig	8000 mg/kg, Days	
	Rabbit	9404 mg/kg, 24 Hours	
		8980 ml/kg	
Oral		10000 //	
LD100	Rabbit	10000 mg/kg	
LD50	Cat	> 4080 mg/kg	
	Guinea pig	4160 mg/kg	
	Mouse	7128 mg/kg	
	Rabbit	> 4000 mg/kg	
	Rat	7128 mg/kg	
		6700 ml/kg	
Diethylene Glycol n-Butyl Ether (C	CAS 111-46-6)		
<u>Acute</u>			
<b>Oral</b> LD50	Human	1120 mg/kg	
LDSU			
	Rat	16500 mg/kg	
Polyethylene Glycol (CAS 25322-	68-3)		
<u>Acute</u> Oral			
LD50	Rat	4300 mg/kg	
* Estimates for product may b	pe based on additional component dat		
Skin corrosion/irritation	Prolonged skin contact may cause t		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause	se skin sensitization.	
Germ cell mutagenicity	No data available to indicate produc	of or any components present at greater than 0.1% are	
Carcinogenicity	mutagenic or genotoxic.	a carcinogen by IARC, ACGIH, NTP, or OSHA.	
	•		
Not listed.	Evaluation of Carcinogenicity	050)	
Not regulated.	ed Substances (29 CFR 1910.1001-10	050)	
US. National Toxicology Pr	ogram (NTP) Report on Carcinogen	S	
Not listed.	Supported of domaging fortility or th	ao unharn child	
Reproductive toxicity	Suspected of damaging fertility or the Not classified.		
Specific target organ toxicity - single exposure	างปี ปีเสรรแเซน.		
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	May cause damage to organs throu be harmful.	gh prolonged or repeated exposure. Prolonged inhalation ma	

# 12. Ecological information

Ecotoxicity		The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Components		Species	Test Results	
Diethylene Glycol Monobuty	I Ether (CAS	12-34-5)		
Aquatic				
Crustacea	EC50	Daphnia	2803 mg/L, 48 Hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	1300 mg/l, 96 hours	
		Fish	1304 mg/L, 96 Hours	
Diethylene Glycol Monometh	hyl Ether (CAS	S 111-77-3)		
Aquatic				
Algae	IC50	Algae	500.0001 mg/L, 72 Hours	
Crustacea	EC50	Daphnia	500.0001 mg/L, 48 Hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	7500 mg/l, 96 hours	
Diethylene Glycol n-Butyl Et	her (CAS 111	-46-6)		
Aquatic				
Crustacea	EC50	Daphnia	84000 mg/L, 48 Hours	
Fish	LC50	Western mosquitofish (Gambusia aff	finis) > 32000 mg/l, 96 hours	
Polyethylene Glycol (CAS 2	5322-68-3)			
Aquatic				
Fish	LC50	Atlantic salmon (Salmo salar)	> 1000 mg/l, 96 hours	
* Estimates for product may	be based on	additional component data not shown.		
Persistence and degradability	No data is	available on the degradability of this prod	luct.	
Bioaccumulative potential				
Partition coefficient n-octa Diethylene Glycol Monobuty		<b>og Kow)</b> 0.56		
Mobility in soil	No data av	vailable.		
Other adverse effects	No other a potential, e	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons			
Disposal instructions		Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in	Dispose in accordance with all applicable regulations.		
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	product re	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging			e, follow label warnings even after container i oproved waste handling site for recycling or	

# 14. Transport information

# DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

# IMDG

Not regulated as dangerous goods.

Transport in bulk according to<br/>Annex II of MARPOL 73/78 and<br/>the IBC CodeNot established.

disposal.

# 15. Regulatory information

# US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

# CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

# SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting) Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

# US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

# US. Massachusetts RTK - Substance List

Diethylene Glycol Monomethyl Ether (CAS 111-77-3)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

# US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene Glycol Monomethyl Ether (CAS 111-77-3) Diethylene Glycol n-Butyl Ether (CAS 111-46-6)

# US. Rhode Island RTK

Not regulated.

# **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

# US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Glycol Monomethyl Ether (CAS 109-86-4) Listed: January 1, 1989

# US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene Glycol Monomethyl Ether (CAS 109-86-4) Listed: January 1, 1989

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

#### Product name: DOT 3 BRAKE FLUID

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	08-09-2018
Revision date	09-13-2018
Version #	03
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.