

FULL STRENGTH FORMULA ORANGE ANTIFREEZE/ COOLANT

FULL STRENGTH FORMULA

FVP® Full Strength Orange Formula Antifreeze/Coolant can be used in place of Dex-Cool® coolant in all General Motors® cars and light duty trucks. FVP® Full Strength Orange Formula Antifreeze/Coolant is compatible and formulated for use with any antifreeze/coolant in any make or model of car or light duty truck and other engine metals. This formula has a concentrated blend of premium long-lasting inhibitors to offer protection for up to 5 years or 150,000 miles* against temperature extremes, the ravages of rust and corrosion, and premature water pump failure when used as directed. Available in gallons and 55 gallon drums.

*-DEX-COOL is a registered trademark of GM Corporation

- Always consult owner's manual to determine the specific maintenance, change over intervals for your vehicle.



Product specifications when used as directed:

- Meets ASTM D 3306, D4985
- May be added to the antifreeze/ coolant of ANY make and model of automobile and light duty truck on the road, foreign or domestic
- Protects aluminum and ANY other engine metals
- Meets GM and Ford performance specifications
- Free of phosphates, borates, nitrites, silicates and amines
- Compatible with orange OAT fluids

PRODUCT SIZES		
FVPDEX-GAL	1 gal.	6/case
FVPDEX-55GAL	55 gal	drum



Composition by Volume

Ethylene Glycol
Soluble Inhibitors (Anhydrous)
Total Water
Dyes (Orange)

Properties

Color

Odor

Ash Content - ASTM D 1119

pH - 50% by Volume Solution - ASTM D 1287

Reserve Alkalinity - ASTM D 1121

Specific Gravity

at 20/20°C - 50% by Volume Solution - ASTM D 1122

Freezing Point

40% by Volume Solution - ASTM D 1177

50% by Volume Solution - ASTM D 1177

60% by Volume Solution - ASTM D 1177

Boiling Point, under standard pressure

40% by Volume Solution - ASTM D 1120

50% by Volume Solution - ASTM D 1120

60% by Volume Solution - ASTM D 1120

Flash Point (Tag Open Cup) 70% by Volume Solution

Foam Test - ASTM D 1881

Average Net Weight/Gallon at 68°F (20°C)

Typical Values

93.5%
4.4%
2.1%
Trace

Orange
Characteristic
1.09% max
8.7
5.5

1.0709

-12° F (-24 °C)
-34° F (-37 °C)
-62° F (-52 °C)

223 °F (106 °C)
227 °F (108 °C)
232 °F (111 °C)
None
50 ml/1 sec
9.3 lbs.

REACH FOR WHAT WORKS.™

FVPparts.com | 866.387.3343

FVP is a brand of Factory Motor Parts.



FACTORYMOTORPARTS™

WE SUPPLY YOUR SUCCESS.®