



The Confident Solution.™

FULL STRENGTH ORANGE FORMULA ANTIFREEZE/COOLANT



FVP® Full Strength Orange Formula Antifreeze/Coolant can be used in place of Dex-Cool® coolant in all General Motors® cars and light duty trucks. FVP® Full Strength Orange Formula Antifreeze/Coolant is compatible and formulated for use with ANY antifreeze/coolant in ANY make or model of car or light duty truck and other engine metals. This formula has a concentrated blend of premium long-lasting inhibitors to offer protection for up to 5 years or 150,000 miles* against temperature extremes, the ravages of rust and corrosion, and premature water pump failure when used as directed.

* Always consult the owner's manual to determine the specific maintenance and change intervals for the vehicle

* DEX-COOL is a registered trademark of GM Corporation

Product Specifications when used as directed:

- Meets ASTM D 3306, D4985
- May be added to the antifreeze/ coolant of ANY make and model of automobile and light duty truck on the road, foreign or domestic
- Protects aluminum and ANY other engine metals
- Meets GM and Ford performance specifications

www.FVPparts.com • (866) 387-3343

FULL STRENGTH ORANGE FORMULA ANTIFREEZE/COOLANT

Composition by Volume

	Typical Values
Ethylene Glycol	92.8%
Soluble Inhibitors (Anhydrous)	4.9%
Total Water	2.3%
Dyes (Orange)	Trace

Properties

Color	Orange
Odor	Characteristic
Ash Content - ASTM D 1119	1.26% by weight
pH - 50% by Volume Solution - ASTM D 1287	8.7
Reserve Alkalinity - ASTM D 1121	11.2
Specific Gravity at 20/20°C - 50% by Volume Solution - ASTM D 1122	1.0687
Freezing Point	
50% by Volume Solution - ASTM D 1177	-34°F (-37°C)
Boiling Point †	
50% by Volume Solution - ASTM D 1120	226°F (108°C)
Flash Point (Tag Open Cup) 70% by Volume Solution	None
Foam Test - ASTM D 1881	50 ml/2 sec
Average Net Weight/Gallon at 68°F (20°C)	.9.3 lbs.

† Atmospheric pressure