

FVP FUEL INJECTOR CLEANER

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Date of issue: 12/31/2014 Revision date: 12/31/2014

Version: 1.0

	on issue. 12/31/2014 Revision date. 12/31/2014 Version. 1.0
SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: FVP FUEL INJECTOR CLEANER
Product code	: FVPFIC-12
I.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Jse of the substance/mixture	: Fuel System cleaner.
I.3. Details of the supplier of the safe	tu data shqot
Factory Motor Parts 1380 Corporate Center Curve, Suite 200 Eagan, MN 55121 1-866-387-3343 1.4. Emergency telephone number	
Emergency number	: 24 hr. CHEMTREC 1-800-424-9300 / International 1-703-527-3887
SECTION 2: Hazards identification	1
2.1. Classification of the substance of	
GHS-US classification	
Flammable Liquid 2 Skin irritation 2 Carcinogenicity 2 Specific target organ toxicity - Single exposure Aspiration hazard 1	e 3
2.2. Label elements	
GHS-US labelling	
	GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
lazard statements (GHS-US)	 Highly flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
Precautionary statements (GHS-US)	: Keep away from heat/sparks/open flames/hot surfaces.– No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. Wash hands thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. If on skin (or hair): Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US))
percent of the mixture consists of ingredient	(s) of unknown acute toxicity.
SECTION 3: Composition/informat	tion on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	
10/04/0044	
12/31/2014	EN (English) Page 1



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Name	Product identifier	%	GHS-US classification
Kerosene, petroleum	(CAS No) 8008-20-6	60 - 100	Flam. Liq. 3 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1
Polyolefin alkyl phenol alkyl amine	Propriatary	1 - 2	Skin Irrit. 2 Eye Irrit. 2A
Pseudocumene	(CAS No) 95-63-6	0.5 - 1.5	Flam. Liq. 3 Acute Tox. 4 (Inhalation) Skin Irrit. 2 Eye Irrit. 2A STOT SE 3
Naphthalene	(CAS No) 91-20-3	< 0.5	Acute Tox. 4 (Oral) Carc. 2

* The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	 In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed 4.3.

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SEC	TION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitab	le extinguishing media	: Powder, water spray, foam, carbon dioxide.
Unsuit	able extinguishing media	: Do not use a heavy water stream.
5.2.	Special hazards arising from the	substance or mixture
Fire ha	azard	: Products of combustion may include, and are not limited to: oxides of carbon, aldehydes, hydrocarbons.
5.3.	Advice for firefighters	
Protec	tion during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant ignition source and flash back. Use water spray to keep fire-exposed containers cool.

SECTIO	ON 6: Accidental release measu	ures	
6.1.	Personal precautions, protective equi	pment and emergency procedures	
General r	measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry unnecessary and unprotected personnel. Eliminate sources of ignition.	to
6.2.	Methods and material for containmen	t and cleaning up	
For conta	ainment	: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	le
Methods	for cleaning up	: Scoop up material and place in a disposal container. Provide ventilation.	
6.3.	Reference to other sections		
See secti	ion 8 for further information on protective	clothing and equipment and section 13 for advice on waste disposal.	
12/31/2014	4	EN (English)	2/6



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. Use only non-sparking tools. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2. Conditions for safe storage, include	ing any incompatibilities
Storage conditions	: Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Store locked up. Keep cool. Keep away from heat, sparks, and flame.
7.3. Specific end use(s)	
Not available.	

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Kerosene, petroleum (8008-20-6)				
USA ACGIH	USA ACGIH TWA (mg/m ³) 200 mg/m ³			
Polyolefin alkyl phenol alkyl amine (Propriatary)				
ACGIH Not applicable				
OSHA Not applicable				

Pseudocumene (95-63-6)		
ACGIH	Not applicable	
OSHA	Not applicable	
Naphthalene (91-20-3)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (ppm)	15 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm

8.2. Exposure controls	
Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear chemically resistant protective gloves.
Eye protection	: Safety glasses or goggles are recommended when using product.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemica	l properties	
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Appearance	: Clear	
Color	: Amber	
Odor	: Petroleum odor	
Odor threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
12/31/2014	EN (English)	3/6



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 22 °C (71 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.864 - 0.869
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

Other information 9.2.

No additional information available

SECTION 10: Stability and rea	activity
10.1. Reactivity	
No dangerous reaction known under con	nditions of normal use
10.2. Chemical stability	nditions of normal use.
· · · · · · · · · · · · · · · · · · ·	. May form flammable/explosive vapor-air mixture.
•	
10.3. Possibility of hazardous rea	
No dangerous reaction known under con 10.4. Conditions to avoid	nditions of normal use.
Heat. Incompatible materials. Open flam	ne.
10.5. Incompatible materials	
Strong oxidizing agents. 10.6. Hazardous decomposition p	
The second se	
•	des of carbon, aldehydes, hydrocarbons.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologica	I effects
Acute toxicity	: Not classified.
FVPFIC-12	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	No data available
Kerosene, petroleum (8008-20-6)	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 5.28 mg/l/4h
Pseudocumene (95-63-6) LD50 oral rat	2000 mg//g
	3280 mg/kg
LD50 dermal rabbit LC50 inhalation rat	> 3160 mg/kg 18 g/m³/4h
	10 y/iii /41i
Naphthalene (91-20-3)	
LD50 oral rat	490 mg/kg

LD50 dermal rabbit

> 20 g/kg



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Skin corrosion/irritation : Causes skin irritation.	
Serious eye damage/irritation : Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.	
Germ cell mutagenicity : Based on available data, the classification criteria are not met.	
Carcinogenicity : Suspected of causing cancer.	
Newhitheless (04.20.2)	

Naphthalene (91-20-3)			
IARC group	2B - Possibly carcinogenic to humans		
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 3 - Reasonably anticipated to be Human Carcinogen		
Reproductive toxicity	: Based on available data, the classification criteria are not met.		
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.		
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.		
Aspiration hazard	: May be fatal if swallowed and enters airways.		
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. May cause drowsiness, dizziness and central nervous system depression.		
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.		
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.		
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.		

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: May cause long-term adverse effects in the aquatic environment.	
12.2. Persistence and degradability		
FVPFIC-12		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
FVPFIC-12		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Effect on the global warming	: No known ecological damage caused by this product.	
SECTION 13: Disposal consideration	S	
13.1. Waste treatment methods		
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federa regulations. The generation of waste should be avoided or minimized wherever possible.	I
Additional information	: Handle empty containers with care because residual vapors are flammable.	
SECTION 14: Transport information		
In accordance with DOT		
UN-No.(DOT)	: UN1993	
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s. (Petroleum, Pseudocumene)	
Department of Transportation (DOT) Hazard Classes	: 3	
Hazard labels (DOT)		
Packing group (DOT)	: 11	
12/31/2014	EN (English)	5/6

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Additional information

Other information

: No supplementary information available.

Special transport precautions

: Do not handle until all safety precautions have been read and understood.


SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Pseudocumene (95-63-6)			
Listed on United States SARA Section 313			
SARA Section 313 - Emission Reporting	1.0 %		
Naphthalene (91-20-3)			
Listed on United States SARA Section 313			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.		
SARA Section 313 - Emission Reporting	0.1 %		
15.2. US State regulations			
FVPFIC-12			
State or local regulations	This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.		

SECTION 16: Other information		
Indication of changes	: None.	
Date of issue	: 12/31/2014	
Other information	: None.	
NFPA health hazard	: 2	
NFPA fire hazard	: 3	
NFPA reactivity	: 0	



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

