

Version: 1.1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 07/12/18 Supersedes:09/04/2015

#### 1.1. Product ........

Product form : Mixture

Trade name : FVP NON-FLAMMABLE BRAKE CLEANER 16 OZ.

Product code : FVPCBC-16

Other means of identification : Not for sale or use in California or New Jersey.

1.2. R

Use of the substance/mixture : Brake Parts Cleaner

Factory Motor Parts 1380 Corporate Center Curve, Suite 200 Eagan, MN 55121 (866) 387-3343

## 1.4. El.... g...., ....p......

Emergency number : Infotrac 1-800-535-5053

## 2.1. Cl

## **GHS-US** classification

Compressed gas H280
Acute Tox. 4 (Inhalation) H332
Acute Tox. 4 (Inhalation:gas) H332
Eye Irrit. 2B H320
Carc. 1B H350
Full text of H statements : see section 16

## 2.2. La

## GHS-US labeling

Hazard pictograms (GHS-US)

 $\Diamond$ 

**(!)** 



GHS04 : Danger

GHS07

GHS08

Signal word (GHS-US)

Hazard statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated

H320 - Causes eye irritation H332 - Harmful if inhaled H350 - May cause cancer

Precautionary statements (GHS-US) : P201 - Obtain special instructions

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust, fume, gas, mist, vapor spray P264 - Wash affected areas thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves, protective clothing, eye protection, face protection

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 - If exposed or concerned: Get medical advice/attention P312 - Call a POISON CONTROL CENTER, doctor, if you feel unwell. P337+P313 - If eye irritation persists: Get medical advice/attention

P405 - Store locked up

P410+P403 - Protect from sunlight. Store in a well-ventilated place

P501 - Dispose of contents/container to appropriate waste disposal facility, in accordance with

## FVP NON-FLAMMABLEI, PBRAKEI, GEREANGERORS.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations conditions. 2.3. O

Other hazards not contributing to the classification

2.4. Unknown acute toxicity (GHS US)

No data available

14/12/2016 EN (English US) 1/9

## 3.1. Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Not applicable

#### 3.2. M

| Name                                      | Product identifier | %     | GHS-US classification   |
|---|--------------------|-------|-------------------------|
| Tetrachloroethylene                       | (CAS No) 127-18-4  | >= 95 | Carc. 1B, H350          |
|   |                    |       | Aquatic Chronic 2, H411 |
| Carbon Dioxide, Liquefied, Under Pressure | (CAS No) 124-38-9  | 1 - 5 | Compressed gas, H280    |

The exact percentage is a trade secret.

| 41 D | 600p 0 |
|------|--------|
|      |        |

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Suspected of causing cancer.

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you

feel unwell.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. M

Symptoms/injuries : May cause cancer.

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled.

Symptoms/injuries after skin contact : May cause slight irritation . Itching. Skin rash/inflammation. Red skin.

Symptoms/injuries after eye contact : Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue.

Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways.

4.3. In

No additional information available

## 5.1. E

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. S

Fire hazard : Not flammable.

5.3. A

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : NFPA Aerosol Level 1.

6.1. P€

General measures : Remove ignition sources.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. E

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. M

For containment States Sheet to Federal Register / Vol. 77, No. 58 / M. Dam up the liquid spill. Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

Methods for cleaning up : Store away from other materials.

#### 6.4. R

See Heading 8. Exposure controls and personal protection.

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust,fume,gas,mist,vapor spray. Obtain special instructions . Do not handle until all safety

precautions have been read and understood.

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. Always wash hands after handling the product. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately.

7.2. C

Technical measures

: Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products Incompatible materials

: Strong bases. Strong acids. : Sources of ignition. Direct sunlight.

: Store in a well-ventilated place.

Storage area

7.3. S

Follow Label Directions.

#### 8.1. Cc.

| Tetrachloroethylene (1 | 27-18-4)                        |  |
|------------------------|---------------------------------|--|
| USA ACGIH              | ACGIH TWA (mg/m³)               | 170 mg/m³  |
| USA ACGIH              | ACGIH TWA (ppm)                 | 25 ppm (Tetrachloroethylene (Perchloroethylene); USA;<br>Time-weighted average exposure limit 8 h; TLV -<br>Adopted Value) |
| USA ACGIH              | ACGIH STEL (mg/m³)              | 685 mg/m³  |
| USA ACGIH              | ACGIH STEL (ppm)                | 100 ppm  |
| USA OSHA               | OSHA PEL (TWA) (ppm)            | 100 ppm  |
| USA OSHA               | OSHA PEL (Ceiling) (ppm)        | 200 ppm  |
| Carbon Dioxide, Lique  | fied, Under Pressure (124-38-9) |  |
| USA ACGIH              | ACGIH TWA (mg/m³)               | 9000 mg/m³   |
| USA ACGIH              | ACGIH TWA (ppm)                 | 5000 ppm (Carbon dioxide; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)                              |
| USA ACGIH              | ACGIH STEL (mg/m³)              | 54000  |
| USA ACGIH              | ACGIH STEL (ppm)                | 30000 ppm  |
| USA OSHA               | OSHA PEL (TWA) (mg/m³)          | 9000 mg/m³   |
| USA OSHA               | OSHA PEL (TWA) (ppm)            | 5000 ppm   |





Appropriate engineering controls : Local exhaust venilation, vent hoods . Ensure good ventilation of the work station. Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection : Wear suitable protective clothing.

Respiratory protection to Sheet : Wear appropriate mask.

Consumer exposure controls

Avoid contact during pregnancy/while nursing.

Other information

Do not eat, drink or smoke during use.

## 9.1. Information on basic physical and chemical properties

Physical state : Gas
Appearance : Liquid.
Molecular mass : 165.83 g/mol
Color : Colourless.

Odor .......

pH : 6.8 - 8.4
Relative evaporation rate (butyl acetate=1) : 2
Relative evaporation rate (ether=1) : 8
Melting point : -22 °C

Freezing point : No data available

Boiling point : 121 °C
Flash point : None
Critical temperature : 347 °C

Auto-ignition temperature : No data available

Decomposition temperature :> 150 °C

Flammability (solid, gas) : No data available Vapor pressure : 19 hPa (20 °C) Vapor pressure at 50 °C : 82 hPa (50 °C)

Relative vapor density at 20 °C : 5.8
Relative density : 1.62
Relative density of saturated gas/air mixture : 1.1

Specific gravity / density : 1623 kg/m³

Solubility : Insoluble in water. Substance sinks in water. Soluble in ethanol. Soluble in ether. Soluble in

acetone. Soluble in chloroform. Soluble in tetrachloromethane. Soluble in hexane. Soluble in

oils/fats.

Water: 0.015 g/100ml Ethanol: soluble Ether: soluble Acetone: > 10 g/100ml

Log Pow : 3.40 (Experimental value; 2.53; Experimental value; Equivalent or similar to OECD 107; 23 °C)

Log Kow : No data available
Viscosity, kinematic : 0.555 mm²/s (20 °C)
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

Saturation concentration : 127 g/m³

VOC content :> 95 % VOC Exempt
Gas group : Compressed gas

## 10.1.

No additional information available

10.2.

Not established.

10.3.

Not established.

## 10.4.

Direct sunlight. Extremely high or low temperatures.

10.5. Strong acids Strong Bases. Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6.

Toxic fume. . Carbon monoxide. Carbon dioxide.

11.1.

Acute toxicity : Inhalation: Harmful if inhaled. Inhalation:gas: Harmful if inhaled.

| JOHNSEN'S BRAKE CLEANER 16 OZ. |  |  |
|--------------------------------|--|--|
| LD50 oral rat                  | 3835 mg/kg body weight   |  |
| LD50 dermal rabbit             | > 3000 mg/kg (Rabbit; Literature study; >10000 mg/kg bodyweight; Rabbit; Experimental value) |  |
| LC50 inhalation rat (mg/l)     | 27.58 mg/l/4h (Rat; Literature study)  |  |
| LC50 inhalation rat (ppm)      | 5200 ppm/4h (Rat; Experimental value)  |  |
| Tetrachloroethylene (127-18-4) |  |  |
| LD50 oral rat                  | 2629 mg/kg   |  |
| LD50 dermal rabbit             | > 3000 mg/kg (Rabbit; Literature study; >10000 mg/kg bodyweight; Rabbit; Experimental value) |  |
| LC50 inhalation rat (ppm)      | 3786 ppm/4h  |  |

Skin corrosion/irritation : Not classified pH: 6.8 - 8.4

Serious eye damage/irritation : Causes eye irritation. pH: 6.8 - 8.4

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met. Harmful if inhaled.

Symptoms/injuries after inhalation : Danger

: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

innaied.

Symptoms/injuries after skin contact

: May cause slight irritation . Itching. Skin rash/inflammation. Red skin.

Symptoms/injuries after eye contact

: Irritation of the eye tissue. Inflammation/damage of the eye tissue. Redness of the eye tissue.

Causes eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways.

## 12.1. Toxicity

Ecology - general : Dangerous for the environment.

Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006). TA-Luft Klasse

5.2.5/I.

|  | - <del> </del>   |  |  |
|--|--|--|--|
| JOHNSEN'S BRAKE CLEANER 16 OZ.                       |  |  |  |
| EC50 Daphnia 1                                       | 8.5 mg/l (EC50; ASTM; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) |  |  |
| Tetrachloroethylene (127-18-4)                       | Tetrachloroethylene (127-18-4)   |  |  |
| EC50 Daphnia 1                                       | 8.5 mg/l (EC50; ASTM; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) |  |  |
| Threshold limit algae 2                              | 3.64 mg/l (EC50; Other; 72 h; Chlamydomonas angulosa; Fresh water)                         |  |  |
| Carbon Dioxide, Liquefied, Under Pressure (124-38-9) |  |  |  |
| LC50 fish 1  | 35 mg/l (LC50; 96 h; Salmo gairdneri)  |  |  |

## 12.2. Persistence and degradability

Safety Data Sheet
JOHNSEN'S-BRAKE-CLEANER 16 OZ, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Persistence and degradability Not readily biodegradable in water. Low potential for adsorption in soil.

| JOHNSEN'S BRAKE CLEANER 16 OZ.                           |   |  |
|--|---|--|
| Biochemical oxygen demand (BOD)                          | 0.06 g O₂ /g substance  |  |
| ThOD according to Federal Register / Vol. 77, No. 58 / M | 0.39 g O / /g Substance les and Regulations                               |  |
| BOD (% of ThOD)  | 0.15  |  |
| Tetrachloroethylene (127-18-4)                           |   |  |
| Persistence and degradability                            | Not readily biodegradable in water. Low potential for adsorption in soil. |  |
| Biochemical oxygen demand (BOD)                          | 0.06 g O₂ /g substance  |  |
| ThOD   | 0.39 g O₂ /g substance  |  |
| BOD (% of ThOD)  | 0.15  |  |
| Carbon Dioxide, Liquefied, Under Pressure (124-38-9)     |   |  |
| Persistence and degradability                            | Biodegradability: not applicable. Not applicable (gas).                   |  |
| Biochemical oxygen demand (BOD)                          | Not applicable  |  |
| Chemical oxygen demand (COD)                             | Not applicable  |  |
| ThOD   | Not applicable  |  |

## 12.3. Bioaccumulative potential

| JOHNSEN'S BRAKE CLEANER 16 OZ.                       |   |  |  |
|--|---|--|--|
| BCF fish 2   | 25.8 - 77.1 (BCF; 8 weeks)  |  |  |
| Log Pow  | 3.40 (Experimental value; 2.53; Experimental value; Equivalent or similar to OECD 107; 23 °C) |  |  |
| Bioaccumulative potential                            | Low potential for bioaccumulation (BCF < 500).  |  |  |
| Tetrachloroethylene (127-18-4)                       | Tetrachloroethylene (127-18-4)  |  |  |
| BCF fish 2   | 25.8 - 77.1 (BCF; 8 weeks)  |  |  |
| Log Pow  | 3.40 (Experimental value; 2.53; Experimental value; Equivalent or similar to OECD 107; 23 °C) |  |  |
| Bioaccumulative potential                            | Low potential for bioaccumulation (BCF < 500).  |  |  |
| Carbon Dioxide, Liquefied, Under Pressure (124-38-9) |   |  |  |
| Log Pow  | 0.83 (Experimental value)   |  |  |
| Bioaccumulative potential                            | Bioaccumulation: not applicable.  |  |  |

#### 12.4. Mobility in soil

| JOHNSEN'S BRAKE CLEANER 16 OZ. |  |  |
|--------------------------------|--|--|
| Surface tension                | 0.0313 N/m (20 °C)   |  |
| Log Koc                        | Koc,141; Experimental value; log Koc; 2.15; Experimental value |  |
| Tetrachloroethylene (127-18-4) |  |  |
| Surface tension                | 0.0313 N/m (20 °C)   |  |
| Log Koc                        | Koc,141; Experimental value; log Koc; 2.15; Experimental value |  |

#### 12.5.

Other information : Avoid release to the environment.

## 13.1. vvaste treatment methods

Waste disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.

Ecology - waste materials : Avoid release to the environment.

## In accordance with ADR / RID / IMDG / IATA / ADN

US DOT (ground): UN1950, Aerosols, Non-flammable, Poison, 2.2, III, Limited Quantity ICAO/IATA (air): UN1950, Aerosols, Non-flammable, Poison, 2.2 (6.1), III, Limited Quantity

IMO/IMDG (water): UN1950, Aerosols, Non-flammable, Marine Pollutant, 2.2 (6.1 Tetrachloroethylene (Perchloroethylene)), III

## 14.2. Ом ргорег эшрршу паше

Proper Shipping Name (DOT) : Aerosols, Non-flammable, Poison

Poison, (each not exceeding 1 L capacity)

Class (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## FVP NON-FLAMMABLE BRAKE CLEANER 2.2 - Non-flammable gas

6.1 - Poison Safety Data Sheet Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

> III - Minor Danger 306

None None Yes

14.3.

Other information : No supplementary information available.

## **Overland transport**

No additional information available

## Transport by sea

**DOT Vessel Stowage Location** 

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel

**DOT Vessel Stowage Other** 

: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Subsidiary risks (IMDG)

: 6.1 Tetrachloroethylene (Perchloroethylene)

## Air transport

DOT Quantity Limitations Passenger aircraft/rail

(49 CFR 173.27)

: Forbidden

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: Forbidden

Subsidiary risk (IATA) : 6.1

## 15.1. US Federal regulations

| JOHNSEN'S BRAKE CLEANER 16 OZ.   |   |  |
|--|---|--|
| SARA Section 311/312 Hazard Classes  | Immediate (acute) health hazard<br>Delayed (chronic) health hazard<br>Sudden release of pressure hazard |  |
| Tetrachloroethylene (127-18-4)   |   |  |
| Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313 |   |  |
| , , , ,  | 100 lb Tetrachloroethylene  |  |
|  | Immediate (acute) health hazard<br>Delayed (chronic) health hazard                                      |  |
| Carbon Dioxide, Liquefied, Under Pressure (124-38-9)   |   |  |
|  | Sudden release of pressure hazard<br>Immediate (acute) health hazard                                    |  |

## 15.2. I

## **CANADA**

| JOHNSEN'S BRAKE CLEANER 16 OZ. |  |
|--------------------------------|--|
|                                | Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects |

# Tetrachio oethylene (127-78-4) AMMABLE BRAKE CLEANER Safety Data Sheet Listed on the Canadian DSL (Domestic Substances List) March 26, 2012 / Rules and Regulations WHMIS Classification Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

## **EU-Regulations**

No additional information available

# FVP NON-FLAMMABLE BRAKE CLEANER Classification according to Regulation (EC) No. 1272/2008 [CLP]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

N; R51/53

Full text of R-phrases: see section 16

15.2.2. **National regulations** 

Tetrac

Listed on the Canadian IDL (Ingredient Disclosure List)

## 15.3. Lo otate regulations

| JOHNSEN'S BRAKE CLE                                      |  |   |   |                                      |
|--|--|---|---|--------------------------------------|
| U.S California - Proposition 65 - Carcinogens List       |  | Yes   |   |                                      |
| U.S California - Proposit<br>Toxicity                    | tion 65 - Developmental  | No  |   |                                      |
| U.S California - Proposit<br>Toxicity - Female           | tion 65 - Reproductive   | No  |   |                                      |
| U.S California - Proposit<br>Toxicity - Male             | tion 65 - Reproductive   | No  |   |                                      |
| State or local regulations                               |  | Not for sale in California or Ne<br>U.S Pennsylvania - RTK (R<br>U.S California - Proposition | ight to Know) List  |                                      |
| Tetrachloroethylene (127                                 | 7-18-4)  |   |   |                                      |
| U.S California -<br>Proposition 65 -<br>Carcinogens List | U.S California -<br>Proposition 65 -<br>Developmental Toxicity | U.S California -<br>Proposition 65 -<br>Reproductive Toxicity -<br>Female                     | U.S California -<br>Proposition 65 -<br>Reproductive Toxicity -<br>Male | Non-significant risk level<br>(NSRL) |
| Yes  | No   | No  | No  |                                      |
| Carbon Dioxide, Liquefie                                 | ed, Under Pressure (124-38-9)                                  |   |   |                                      |
| U.S California -<br>Proposition 65 -<br>Carcinogens List | U.S California -<br>Proposition 65 -<br>Developmental Toxicity | U.S California -<br>Proposition 65 -<br>Reproductive Toxicity -<br>Female                     | U.S California -<br>Proposition 65 -<br>Reproductive Toxicity -<br>Male | Non-significant risk level<br>(NSRL) |
| No   | No   | No  | No  |                                      |

## Tetrachloroethylene (127-18-4)

State or local regulations

U.S. - California - Proposition 65

Not for sale in California or New Jersey


- U.S. Pennsylvania RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Massachusetts Right To Know List
- U.S. Rhode Island Hazardous Substance List

| Training advice   | : Normal use of this product shall imply use in accordance with the instructions on the packaging. |
|-------------------|--|
| Other information | : None.  |

## Full text of H-phrases:

| H280 | Contains gas under pressure; may explode if heated |
|------|--|
| H320 | Causes eye irritation                              |
|      | Harmful if inhaled                                 |
| H350 | May cause cancer                                   |
| H411 | Toxic to aquatic life with long lasting effects    |

NFPA health hazard



<sup>: 2 -</sup> Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

## NFPA fire Finance NON-FLAMMABLE at eBRAKE bCoLEANER

NFPA reactivity
Salety Data Sheet
according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Raffety Data Sheet

Scooling to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard Physical : 1 Slight Hazard

Personal Protection

SDS US (GHS HazCom 2012) - TCC

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Comm ission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.